File No. AFD 61 FAF 70

MYSORE GOVERNMENT SECRETARIAT

Notes/Correspondence/Collection

Department A&F Section Forest "B"

Subject :— Corrigendum to Govt. Notification No: AFD. 76AFT 58 (5) / 10-6-69

Earlier References :—

Later References :—

(X)

24-4-70
8-5-70

(Classification A/B/C)

Notes Pages..... 1
Correspondence Pages..... 12
For/Not for Section Note Book
To be destreyed after..... 1980

N.B. 8.70
Under Secretary to Government.

A
1.4.04

ಉಪ ಕಾರ್ಯದರ್ಶಿ
ಸರ್ಕಾರ ಮತ್ತು ಮುಖ್ಯ ಪೇದಿ
ಅರಣ್ಯ, ಮೃಗಾಲಯ ಮತ್ತು ಪಶು ಪೇದಿ
ಶಾಸ್ತ್ರ ಇಲಾಖೆ (ಅರಣ್ಯ-ಬಿ)

AFD . 61 . FAF-70

Sl. No-1 (Receipt)

No. B-6-75-221/58 Dt. 17-1-70

from the C.C.F.

Note A1

A draft Corrigendum is put up for approval at Sl. No. 2 /Pages 10 to 12.

24-4-70

Verified with the file in file (AFD 76 AFT 58) which is submitted separately with file No AFD 59 FAF 70. Dft. at P. 12 c/s is for appr

[illegible] 24/4/70

u/s)

Issue

20/4/70

May be recorded B

8-5-70

Record B

8-5-70

GOVERNMENT OF MYSORE

No. FD 61 PRF 70

Mysore Government Secretariat,
Vikasa Soudha,
Bangalore, dated 30th April '70.

CORRIGENDUM.

The Governor is pleased to order that the following changes be made in the Government Notification No. FD 75 PRF 69(I) dated 11-2-'70 published at page 1230 to 1233 of Part IV - Section 2-A(ii) of the Mysore Gazette dated 19-2-'70.

(i) Page 1232

Substitute the figure 'P/4' for the figure 'I/4' appearing in line No.34 of Column No.1 of the statement.

(ii) Page 1232

Substitute in line No.4 of the statement in column 2 substitute the figure 'I/4' for the figure 'V/4' and in column 4 substitute the figure 'Nil' for '__'

(iii) Page 1231

Substitute the figure '204' for the figure '206' appearing in column 3 of line No.43 of the statement.

(iv) Page 1233

Substitute the figure '348' for the figure '342' appearing in column 3 of line No.2 of the statement.

(S.B.Lakshmanappa)
I/c Deputy Secretary to Government,
Agriculture & Forest Department.

To
The Comptroller, Mysore Gazette, Bangalore in order to the public that he is requested to publish in the next issue of the Gazette and supply 50 printed copies of the Corrigendum to the Director, Printing and Stationery, Mysore.

Copy forwarded to:-

1) The Chief Conservator of Forests in Mysore, Bangalore.
2) The Divisional Commissioner, Mysore Division, Mysore.
3) The Deputy Commissioner, South Kanara, Mangalore.
4) The Revenue Department.

hms/27-4/Gaz.

Sl. Nr. 2

Corrigendum

No. AFD 61 FAF 70

M.G. Secty;
V.S.;
Bangalore
Dt.... April 1970

The Governor is pleased to order that the following changes be made in the Govt. Notification No. AFD 76 AFT 58(5) Dt. 10-6-64 published as S.O. 983 at pages 1936 & 1943 of Part IV – Section 2-C (ii) of the Mysore Gazette dt. 23-7-64.

(i) Page 1937

Substitute the figure '70½' for the figure '10½' appearing in line No. 35 of Column No. 3 of the Statement

(ii) Page 1939

Substitute the figures

ISSUED
Date 30-4-1970

In line 18 of the Statement under in Column 3 against Substitute the figure "101" for the figure "726" and in Column

88, 89, 101, 726

for the figures '88 89 101 —'

appearing in line no. 18 of the statement

& substitute the figure '726' for

(iii) Page 1941

Substitute the figure '335½'

for the figure '335' appearing in Column 3

of line No. 42 ~~and Column No. 3~~ of

the statement.

(iv) Page 1943

Substitute the figure

'342½' for the figure

'542½' appearing in line No. 2

~~and Column No. 3~~ of the statement

27/4/70.

H/c D.S., A.F. Secy.

To, the Compiler, Mysore Gazette, Bangalore,

in duplicate, for publication in

the Gazette and for supply of

10 printed copies of the Corrigendum

to the SFO, Bangalore., Sunday a Demarcation

forwarded

Copy to :-

6/10

(1) The C.C.F., Bangalore

(2) The Dvl. Comm., Mysore

(3) The Dy. Comm., S. Kanara, Mangalore

(4) The R.D.

No.B6-15-221/58.
(Encl 1 printed notification)

Chief Conservator's Office
Bangalore: Dated: 17-1-1970.

To

The Secretary to Government,
Agriculture and Forest Department,
Bangalore.



Sub:-Government Notification under Section 4 of the M.F.A. in respect of Achinamale Block in Belthangady Taluk - S.K. Issue of Corrigendum - Requested.

Ref:-Government Notification No.AFD-76-AFT-58(5) dated 10-6-64.

In the above Government Notification published in the Mysore Gazette Dated 23-7-64., Vide pages 1936-1943 in Part IV Section 2-C(ii) in respect of Achinamale Block in Belthangady Taluk - South Kanara, Corrections as noted in the Draft Corrigendum are necessary":-

Draft Corrigendum.

In the Notification No.AFD-76-AFT-58(5) Dated 10-6-64, make the following corrections:-

On page No.1937 - Under the Statement in Col.No.3 and line No.35 the figure '10½' should be read as "70½".

On page No.1939 - Under the Statement in line No.18 figures "88 89 726" should be read as "88 89 101 726"

On page 1941 - Under the Statement in line No.42 and Col. No.3, the figure ~~XXX~~"335". should be read as "335-½"

On page No.1943 - Under the Statement in line No.2 in Col.No.3 the figure "542½" should be read as "342½".

Government may kindly be moved to issue the above Corrigendum, for publication in the Mysore Gazette with instructions to the Compiler of the Gazette to supply 10 Printed Copies of the Corrigendum to the Divisional Forest Officer, Survey and Demarcation, Mangalore. A copy of the printed Notification is enclosed herewith for favour of refe-ference.

Yours faithfully,

Chief Conservator of Forests

N.

1936

AGRICULTURE AND FOREST SECRETARIAT.

NOTIFICATION.

Bangalore, dated 10th June 1964.

S. O. 983.—In exercise of the powers conferred by clauses (a) and (b) of Section 4 of the Madras Forest Act, 1882 (Madras Act V of 1882), the Government of Mysore hereby declares that it is proposed to constitute the lands, the situation and limits of which are described in the Schedule below, a reserved forest.

Under clause (c) of the said section, the Government of Mysore hereby appoints the Assistant Commissioner of Puttur to be the Forest Settlement Officer in regard to the said land to enquire into and determine the existence, nature and extent of any rights claimed by or alleged to exist in favour of any person in or over any land comprised within such limits or to any forest produce of such land and to deal with the same as provided in Chapter II of the said Act and appoints the District Forest Officer, South Kanara for the time being to be the Forest Officer who shall attend on behalf of Government at the enquiry to be made by the said Forest Settlement Officer.

Under Section 14 of the said Act, the Government of Mysore, hereby appoints Sri K. Kaliah, Additional Deputy Commissioner, South Kanara, to hear appeals on any orders passed by the Forest Settlement Officer under Sections 11, 12 and 13 of the said Act.

SCHEDULE

South Kanara District

Belthangady Taluk

Navoor Indubettu and Kanyadi villages (Part)

Name of the block to be reserved :—Achinamele Reserved Forest.

Area — 1,130 acres.

North :—Starting from a survey stone on the South Eastern-corner of S. No. 75 of Navoor village the boundary proceeds East, South, South-East, East, North-East, South-East and North East for 21,110 links with the following bearings and distances to Station No. 65.

Station From	Nos. To.	Magnetic bearings in degrees.	Distance in links.	Remarks.
1	2	3	4	5
0	1	107 1/2	749	
1	2	126 1/2	372	
2	3	90 1/2	254	
3	4	91	360	
4	5	193	620	
5	6	174 1/2	168	
6	7	176 1/2	376	Near a Survey stone
7	8	143	292	
8	9	147	280	
9	10	138	228	
10	11	117 1/2	109	
11	12	124	285	
12	13	118 1/2	149	
13	14	134	598	
14	15	145	152	
15	16	169	895	(640) Foot path
16	17	163	184	(from Ampuje to
17	18	201	171	Hidthabai)
18	19	205	496	
19	20	128	390	
20	21	112	710	(420) Stream.
21	22	84	199	
22	23	84 1/2	582	(260) Mavoor Road.
23	24	89 1/2	153	(60) Killur Road.
24	25	89 1/2	325	
25	26	52 1/2	382	
26	27	44	162	
27	28	50	159	
28	29	117 1/2	311	
29	30	95	296	
30	31	114 1/2	163	
31	32	161 1/2	271	
32	33	130	186	
33	34	86 1/2	200	
34	35	10 1/2 70 1/2	446	(325) Mura-Mudubettu
35	36	29	415	Path.
36	37	29	296	
37	38	11 1/2	192	
38	39	42 1/2	159	
39	40	9 1/2	232	

1	2	3	4	5
40	41	63	211	
41	42	34 1/2	336	
42	43	41 1/2	232	
43	44	135 1/2	461	
44	45	164	195	
45	46	131 1/2	398	
46	47	112	266	
47	48	68	316	47A—48—92°(138)(48)
48	49	44	214	
49	50	46	310	
50	51	12	555	
51	52	30	270	
52	53	92	214	
53	54	68	225	
54	55	55 1/2	275	
55	56	61 3/4	385	
56	57	92 1/2	140	
57	58	92 1/2	423	
58	59	85	390	
59	60	78 1/2	305	
60	61	48	338	
61	62	59	295	
62	63	34 1/2	532	
63	64	32 1/2	381	
64	65	38 1/2	358	

East :—Thence the line proceeds South, South East, East, South, West, South-East, South-East and South-West for 27,771 links with the following bearings and distances to Station No. 140.

Station From	Nos. To	Bearings in degrees.	Distance in links.	Remarks.
1	2	3	4	5
65	66	156	707	
66	67	174	384	
67	68	198 1/2	206	Near a Survey Stone.
68	69	225	310	
69	70	183 1/2	215	
70	71	176 1/2	125	

1	2	3	4	5
71	72	108	261	
72	73	90	214	
73	74	147	196	
74	75	137 1/2	460	
75	76	104 1/2	345	
76	77	148 1/2	298	
77	78	162 1/2	416	
78	79	97 1/2	284	
79	80	82 1/2	258	
80	81	116 1/2	122	
81	82	150 1/2	247	
82	83	134	195	
83	84	106 1/2	235	
84	85	108	234	
85	86	107	335	
86	87	49 1/2	428	
87	88	61	630	
88	89	726 101	562 726	
89	90	91	378	
90	91	100	238	
91	92	132 1/2	325	
92	93	120 1/2	583	
93	94	141	495	
94	95	217	535	
95	96	209	700	
96	97	185	1375	
97	98	270 1/2	382	
98	99	243	232	
99	100	214	348	
100	101	199	247	
101	102	166	311	
102	103	165	270	
103	104	174	126	
104	105	147	310	
105	106	181	452	
106	107	179	293	Survey stone.
107	108	102 1/2	450	
108	109	89 1/2	298	
109	110	92 1/2	380	
110	111	39	234	
111	112	80	161	
112	113	103	300	
113	114	63		

1	2	3	4	5
114	115	37	235	Survey Stone 50 links away.
115	116	131 1/2	739	
116	117	170 1/2	488	
117	118	182 1/2	457	Near a newly planted stone.
118	119	99	261	
119	120	133 1/2	700	
120	121	125	412	
121	122	170 1/2	649	
122	123	216	244	
123	124	245	372	
124	125	235	181	
125	126	217	397	
126	127	210	301	
127	128	161	201	
128	129	192	275	
129	130	126	277	
130	131	102	260	
131	132	234	760	
132	133	215	510	
133	134	254	238	
134	135	223	293	
135	136	241 1/2	247	
136	137	240	255	
137	138	234	223	
138	139	241 1/2	371	
139	140	241	600	

South :—Thence the line proceeds North-West, North, South-West, North, South-West, North-West and South-West for 36,875 links to Station 240 on the top of a hill with the following bearings and distances.

Station From	Nos. To.	Bearings in degrees	Distance in links.	Remarks.
1	2		4	5
140	141	328	310	
141	142	292 1/2	167	
142	143	330	664	
143	144	278 1/2	755	
144	145	48	368	
145	146	52 1/2	487	

1941

1	2	3	4	5
146	147	346	360	
147	148	295	765	
148	149	343	253	
149	150	40	787	
150	151	75 1/2	218	
151	152	52	552	
152	153	25 1/2	418	
153	154	8	275	
154	155	358	262	
155	156	333	350	
156	157	289	262	
157	158	254	200	
158	159	343	173	
159	160	313 1/2	290	
160	161	329	273	
161	162	246	240	
162	163	267	207	
163	164	263	251	
164	165	238	301	
165	166	267	280	
166	167	233 1/2	389	
167	168	216	248	
168	169	247 1/2	490	
169	170	248	341	
170	171	234	280	
171	172	224 1/2	359	
172	173	248	305	
173	174	255	210	
174	175	264	337	
175	176	288	187	
176	177	315 1/2	403	
177	178	294	366	
178	179	323 1/2	414	
179	180	254	476	
180	181	305	221	
181	182	330	173	
182	183	326 1/2	260	
183	184	304	313	
184	185	318	252	
185	186	330	545	
186	187	6 1/2	360	
187	188	~~325~~ 335 1/2	643	
188	189	24	345	
189	190	10	688	
190	191	42	403	
191	192	28	389	

1	2	3	4	5
192	193	19	473	
193	194	52	375	
194	195	7	293	
195	196	328 1/2	494	
196	197	57 1/2	602	
197	198	347	338	
198	199	1	443	
199	200	300	204	
200	201	309	204	
201	202	288 1/2	267	
202	203	242	708	
203	204	217 1/2	235	
204	205	248	132	
205	206	256	475	
206	207	244	188	
207	208	241	310	
208	209	280 1/2	260	
209	210	266	347	
210	211	239 1/2	355	
211	212	250	630	
212	213	195 1/2	400	
213	214	213	320	260 links Mura-Muda-bettu path.
214	215	216	240	
215	216	205 3/4	500	
216	217	167	230	
217	218	192 1/2	478	
218	219	206 1/2	421	
219	220	210 1/2	430	
220	221	209 1/2	591	
221	222	201 1/2	584	
222	223	251	662	
223	224	291 1/2	272	
224	225	293 1/2	492	
225	226	307 1/2	296	
226	227	319 1/2	224	
227	228	345	148	
228	229	271	306	
229	230	329	345	
230	231	327	330	
231	232	305	347	200 links Killur road.
232	233	8 1/2	406	
233	234	305	332	
234	235	265	597	
235	236	208	357	
236	237	234	582	
237	238	229	201	
238	239	215	320	
239	240	222 3/4	183	

1943 15

West :- Thence the line proceeds in a North-West and Northerly direction for 10,339 links with the following bearings and distances to the starting point.

Station From	Nos. To.	Bearings in degrees	Distance in links	Remarks.
240	241	329	206	
241	242	~~542 1/2~~ 342 1/2	236	
242	243	301	312	
243	244	336	210	
244	245	320 1/2	299	
245	246	345	258	
246	247	272 1/2	330	
247	248	313 1/2	534	
248	249	320	354	
249	250	345	568	
250	251	355	190	
251	252	357	442	
252	253	347 1/2	189	
253	254	349	496	
254	255	337	336	
255	256	1 1/2	420	
256	257	3 1/2	460	
257	258	346	269	
258	259	306 1/2	301	
259	260	346 1/2	467	
260	261	7 3/4	205	
261	262	45	177	
262	263	29	394	
263	264	69 1/2	259	
264	265	341	298	
265	266	19	212	
266	267	320	211	Near an old cairn.
267	268	325 1/2	437	
268	269	46	458	
269	270	12	174	
270	0	37 1/2	637	To the starting point.

[No. AFD 76 AIT 58(5).]

By Order and in the name of the Governor of Mysore,

785 M. A. MECCAI, *Under Secy.*

Printed by the Director of Printing, Sty. & Publications at the Govt. Press B'lore.

7-27-64